

QUALITY CERTIFICATE OF FACTORY PRINTEX FEATHERS

MATERIAL SAFETY DATA SHEET

Product Name:
LIQUIDO MEDIDO DE DINAS

Issue Date: 6-17-2014

**PRINTEX CORP USA.
4566 N HIATUS ROAD
Sunrise , FL 33351**

**Emergency:
(954) 345-7761**

Section I- Product Identification

MSDS Name: Formamide, ACS
Synonyms: Methanamide; carbamaldehyde
CAS No.: 75-12-7
Molecular Weight: 45.04
Chemical Formula: CH₃-N-O
Harrell Item #: 3310

Section II- Hazardous Ingredients

Ingredient	CAS No	Percent	Hazardous
Formamide	75-12-7	99.6	Yes

Section III- Hazard Identification

Emergency Overview

WARNING! HARMFUL IF SWALLOWED, INHALED OR ABSORBED THROUGH SKIN. CAUSES IRRITATION TO SKIN, EYES AND RESPIRATORY TRACT. AFFECTS CENTRAL NERVOUS SYSTEM. MAY AFFECT THE REPRODUCTIVE SYSTEM.

Health Rating: 3 - Severe (Life)
Flammability Rating: 1 - Slight
Reactivity Rating: 2 - Moderate
Contact Rating: 2 - Moderate
Lab Protective Equip: GOGGLES & SHIELD; LAB COAT & APRON; VENT HOOD; PROPER GLOVES
Storage Color Code: Blue (Health)

Potential Health Effects

Inhalation: Causes irritation to the respiratory tract. Symptoms may include coughing, shortness of breath. Excessive inhalation of vapor may cause symptoms that parallel ingestion, ranging from headache to unconsciousness, depending upon the duration and level of the exposure.

Ingestion: Causes irritation to the gastrointestinal tract. Affects the central nervous system. May cause headache, dizziness, nausea, vomiting, abdominal pain, and unconsciousness. May affect the reproductive system.

Skin Contact: Causes irritation to skin. Symptoms include redness, itching, and pain. May be absorbed through the skin; symptoms parallel to ingestion.

Eye Contact: Causes irritation, redness, and pain.

Chronic Exposure: No information found.

Aggravation of Pre-existing Conditions: No information found.

SECTION IV- First Aid Measures

Inhalation: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

Ingestion: Give large amounts of water to drink. Never give anything by mouth to an unconscious person. Get medical attention.

Skin Contact: Immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.

Eye Contact: Immediately flush eyes with plenty of water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get medical attention.

SECTION V- Fire Fighting Procedures

Fire: Flash point: 154°C (309°F) OC Moderate fire hazard when heated.

Explosion: Above the flash point, explosive vapor-air mixtures may be formed.

Fire Extinguishing Media: Water spray, dry chemical, alcohol foam, or carbon dioxide. Water or foam may cause frothing.

Special Information: In the event of a fire, wear full protective clothing and NIOSH-approved self-contained breathing apparatus with full facepiece operated in the pressure demand or other positive pressure mode. Fires involving formamide are likely to produce very toxic gases such as carbon monoxide and ammonia, which should not be inhaled.

SECTION VI- Accidental Release Measures

Ventilate area of leak or spill. Wear appropriate personal protective equipment as specified in Section VIII. Isolate hazard area. Keep unnecessary and unprotected personnel from entering. Contain and recover liquid when possible. Collect liquid in an appropriate container or absorb with an inert material (e.g., vermiculite, dry sand, earth), and place in a chemical waste container. Do not use combustible materials, such as saw dust. Do not flush to sewer!

SECTION VII- Handling and Storage

Keep in a tightly closed container, stored in a cool, dry, ventilated area. Protect against physical damage. Isolate from incompatible substances. Containers of this material may be hazardous when empty since they retain product residues (vapors, liquid); observe all warnings and precautions listed for the product.

SECTION VIII- Exposure Controls/Personal Protection

Airborne Exposure Limits:

ACGIH Threshold Limit Value (TLV): 10 ppm (TWA) Skin

NIOSH(REL): 10 ppm (TWA) Skin

Ventilation System:

A system of local and/or general exhaust is recommended to keep employee exposures below the Airborne Exposure Limits. Local exhaust ventilation is generally preferred because it can control the emissions of the contaminant at its source, preventing dispersion of it into the general work area. Please refer to the ACGIH document, Industrial Ventilation, A Manual of Recommended Practices, most recent edition, for details.

Personal Respirators (NIOSH Approved):

If the exposure limit is exceeded and engineering controls are not feasible, wear a supplied air, full-facepiece respirator, airtight hood, or full-facepiece self-contained breathing apparatus. Breathing air quality must meet the requirements of the OSHA respiratory protection standard (29CFR1910.134).

Skin Protection:

Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact.

Eye Protection:

Use chemical safety goggles and/or a full face shield where splashing is possible. Maintain eye wash fountain and quick-drench facilities in work area.

Section IX- Physical and Chemical Properties

Appearance:	Blue liquid.
Odor:	Faint ammonia odor.
Solubility:	Infinitely soluble.
Density:	1.13 @ 20°C/4°C

pH: 7.1
% Volatiles by volume @ 21°C (70°F): 100
Boiling Point: 210°C (410°F)
Melting Point: 2 – 3°C (36 – 37°F)
Vapor Density (Air=1): 1.55
Vapor Pressure (mm Hg): 1 @ 70.5°C (158°F)
Evaporation Rate (BuAc=1): < 1

Section X- Stability and Reactivity

Stability: Stable under ordinary conditions of use and storage. Absorbs moisture from air.

Hazardous Decomposition Products: Burning may produce ammonia, carbon monoxide, carbon dioxide, nitrogen oxides.

At boiling point: ammonia, carbon monoxide and hydrogen cyanide.

Hazardous Polymerization: Will not occur.

Incompatibilities: Acids, alkalines, iodine, pyridine, and sulfur trioxide. Copper, brass, lead and rubber are attacked by formamide.

Conditions to Avoid: Heat, flames, ignition sources and incompatibles.

Section XI- Toxicological Information

Toxicological Data:

Oral rat LD50: 5570 mg/kg; investigated as a tumorigen, mutagen, reproductive effector.

Reproductive Toxicity:

Has shown teratogenic effects in laboratory animals.

-----\Cancer Lists\-----

---NTP Carcinogen---

Ingredient	Known	Anticipated	IARC Category
Formamide (75-12-7)	No	No	None

Section XII- Ecological Information

Environmental Fate: When released into the soil, this material may biodegrade to a moderate extent. When released into the soil, this material is expected to leach into groundwater. This material has an estimated bioconcentration factor (BCF) of less than 100. This material is not expected to significantly bioaccumulate. When released into the air, this material is expected to be readily degraded by reaction with photochemically produced hydroxyl radicals. When released into the air, this material is expected to have a half-life of less than 1 day.

Environmental Toxicity: No information found.

Section XIII- Disposal Considerations

Whatever cannot be saved for recovery or recycling should be managed in an appropriate and approved waste disposal facility. Processing, use or contamination of this product may change the waste management options. State and local disposal regulations may differ from federal disposal regulations. Dispose of container and unused contents in accordance with federal, state and local requirements.

Section XIV-Transport Information

Not regulated.

Section XV- Regulatory Information

-----\Chemical Inventory Status - Part 1\-----

Ingredient	TSCA	EC	Japan	Australia
Formamide (75-12-7)	Yes	Yes	Yes	Yes

-----\Chemical Inventory Status - Part 2\-----

--Canada--

Ingredient	Korea	DSL	NDSL	Phil.
Formamide (75-12-7)	Yes	Yes	No	Yes

-----\Federal, State & International Regulations - Part 1\-----

Ingredient	-SARA 302-		-----SARA 313-----	
	RQ	TPQ	List	Chemical Catg.
Formamide (75-12-7)	No	No	No	No

-----\Federal, State & International Regulations - Part 2\-----

Ingredient	CERCLA	-RCRA-	-TSCA-
		261.33	8(d)
Formamide (75-12-7)	No	No	No

Chemical Weapons Convention: No TSCA 12(b): No CDTA: No
 SARA 311/312: Acute: Yes Chronic: Yes Fire: No Pressure: No
 Reactivity: No (Pure / Liquid)

Australian Hazchem Code: None allocated.

Poison Schedule: None allocated.

WHMIS: This MSDS has been prepared according to the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all of the information required by the CPR.

Section XVI- Other Information

NFPA Ratings: Health: 2 Flammability: 1 Reactivity: 0

Label Hazard Warning:

WARNING! HARMFUL IF SWALLOWED, INHALED OR ABSORBED THROUGH SKIN. CAUSES IRRITATION TO SKIN, EYES AND RESPIRATORY TRACT. AFFECTS CENTRAL NERVOUS SYSTEM. MAY AFFECT THE REPRODUCTIVE SYSTEM.

Label Precautions:

- Avoid breathing vapor.
- Avoid contact with eyes, skin and clothing.
- Keep container closed.
- Use only with adequate ventilation.
- Wash thoroughly after handling.

Label First Aid:

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. If swallowed, give large amounts of water to drink. Never give anything by mouth to an unconscious person. In all cases, get medical attention.

Product Use: Laboratory Reagent.

If you require additional information regarding any legal or regulatory requirements referred to in this MSDS, we suggest you consult with an appropriate regulatory agency, or with a professional with expertise in this area.

This information is taken from sources or based upon data believed to be reliable; However, Harrell Industries, Inc. makes no warranty as to the absolute correctness or sufficiency of the foregoing or that additional or other measures may not be required under particular conditions.

Additional Information if Applicable

This MSDS was prepared in accordance with the ANSI Z400.1 1993 Guideline for the preparation of safety data sheets.